

	Type	L #	Hits	Search Text
1	BRS	L1	65851	(dynamometer) OR (force load pressure weight strain stress compress\$4 tens\$4) near3 (sens\$4 detect\$4 transducer).clm.
2	BRS	L2	15264	1 and (ring annulus)
3	BRS	L3	52	2 and (micromechanical\$3)
4	BRS	L4	21	3 and (scale)
5	BRS	L5	21	4 and (substrate base)
6	BRS	L6	4	5 and (rod coupler)
7	BRS	L7	14	5 and (deflect\$4 bend\$4 flex\$4 deform\$4)
8	BRS	L8	4	6 and (deflect\$4 bend\$4 flex\$4 deform\$4)
9	BRS	L9	390236	(dynamometer) OR (force load pressure weight strain stress compress\$4 tens\$4) near3 (sens\$4 detect\$4 transducer)
10	BRS	L10	55075	9 and (ring annulus)
11	BRS	L11	236	10 and (micromechanical\$3)
12	BRS	L12	102	11 and (scale)
13	BRS	L13	96	12 and (substrate base)
14	BRS	L14	18	13 and (rod coupler)
15	BRS	L15	17	14 and (deflect\$4 bend\$4 flex\$4 deform\$4)
16	BRS	L16	115	(scale) near2 (ring annulus).clm.
17	BRS	L18	0	17 and (micromechanical\$3)

	DBs	Time Stamp	Comm nts	Error Definition	Errors
1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:02			0
2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:02			0
3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:06			0
4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:03			0
5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:03			0
6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:03			0
7	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:03			0
8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 10:57			0
9	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:02			0
10	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:02			0
11	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:02			0
12	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:03			0
13	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:03			0
14	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:03			0
15	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:06			0
16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:06			0
17	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:06			0

	Type	L #	Hits	Search Text
18	BRS	L19	1344	(scale) near2 (ring annulus)
19	BRS	L20	410	19 and (deflect\$4 bend\$4 flex\$4 deform\$4)
20	BRS	L21	0	20 and (micromechanical\$3)
21	BRS	L17	13	16 and (deflect\$4 bend\$4 flex\$4 deform\$4).clm.

	DBs	Time Stamp	Comments	Error Definition	Errors
18	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:06			0
19	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:06			0
20	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:06			0
21	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/16 11:06			0